





SHOALHAVEN HEADS				
Land Number	Vegetation Community	Description	Broad Condition / Value	Threat
SH-98	Modified	Narrow roadside plantings of Camphor Laurel.	<b>Very poor condition</b> although would provide some fauna habitat	None
SH-97	Modified	Mown grassed strip with scattered Swamp Oak and bordered by Grey Mangroves.	<b>Very poor condition</b> although would provide some fauna habitat.	Senescence of trees & weed invasion.
SH-84	Modified	Mown grassed strip with scattered Swamp Oak and bordered by Grey Mangroves with seagrass beds offshore.	<b>Very poor</b> although provides narrow linear connection along Shoalhaven River.	Senescence of trees & weed invasion.
SH-83	Modified Bangalay / Coastal Banksia	Narrow strip of Bangalay / Coast Banksia with a disturbed understorey comprised predominately of mown grass but with scattered Burrawang and Lomandra.	<b>Fair condition.</b> Provides narrow linear connection along Shoalhaven River and protects foreshore.	Senescence of trees & weed invasion.
SH-80	<b>Swamp Oak Forest - EEC</b>	Small patch of Swamp Oak Forest in low-lying slight depression adjoining caravan park. Dominated by Swamp Oak and Common Reed.	<b>Very poor condition.</b> Badly degraded through weed invasion and adjacent development. Surrounding ground levels may have been altered.	Poor water quality & weed invasion.
SH-81	<b>Bangalay Sand Forest - EEC</b>	Bangalay dominated woodland with Coast Banksia, Lomandra, Bracken and Red Cedar scattered throughout. Degraded patch with modified areas and few understorey plants. Weeds include Blackberry and Lantana.	<b>Poor condition.</b> Appears to be late successional. Poor to moderate with improvement towards the frontal dune.	Weed invasion and trampling.
SH-81	Coastal Scrub	Frontal dune vegetation includes Coast Banksia, Lomandra, Coastal Wattle, Coastal Tea Tree, Hydrocotyle bonariensis, Hairy Spinifex and Tree Broom-heath.	<b>Fair condition.</b> Good majority intact and provides narrow linear corridor and protection of the frontal dune.	Weed invasion and trampling
SH-82	Bangalay Sand Forest - EEC	Bangalay dominated woodland with Lantana, Hairy Clerodendrum, Panic Veldtgrass, Lomandra and Snake Vine located between golf course and frontal dune.	<b>Very poor condition.</b> Weed infested and degraded.	Weed invasion and trampling.
SH-82	Coastal Scrub	Frontal dune vegetation includes Coast Banksia, Lomandra, Coastal Wattle, Coastal Tea Tree, Hydrocotyle bonariensis, Hairy Spinifex and Tree Broom-heath.	<b>Poor condition.</b> Weed infested on leeward side of frontal dune but relatively intact and provides narrow linear corridor and protection of the frontal dune.	Nutrient enrichment from golf course and further weed invasion
SH-85	Modified	Vic Zealand Park with fringing trees of Bangalay, Coast Banksia, Lantana, Bracken, Lomandra, Climbing Guinea Flower, Kangaroo Grass.	<b>Poor condition.</b> Little value but does provide habitat trees.	Further weed invasion.

Land Number	Vegetation Community	Description	Broad Condition / Value	Threat
SH-88	<b>Bangalay Sand Forest - EEC</b>	Bangalay dominated but extensively weed infested with impenetrable thickets of Lantana. Also present are Coast Banksia, Snake Vine, Bracken, Wild Tobacco Bush.	<b>Very poor condition.</b> Extensive weed infestation.	Further weed invasion and senescence of trees.
SH-87	<b>Swamp Oak Forest - EEC</b>	Swamp Oak Woodland completely infested with Lantana. Also present are Sweet Pittosporum, Bracken, Panic Veldtgrass. Broadleaf Cumbungi instream.	<b>Very poor condition.</b> Extensive weed infestation.	Further weed invasion, poor water quality and senescence of trees.
SH-89	<b>Swamp Sclerophyll Forest - EEC</b>	Bangalay dominated woodland with trees covered in Common Silkpod with Gahnia dominant in the understorey. Bordered Panic, Bracken, Hydrocotyle bonariensis and Cassytha glabella were also present.	<b>Poor condition.</b> Limited weed infestation compared to other communities within this reserve.	Weed invasion and poor water quality.
SH-86	Modified	Pepper Reserve - park with mown lawn with scattered Bangalay, Rough-barked Apple. Lomandra and Blady Grass at base of trees.	<b>Very poor condition</b> although does provide habitat trees.	Weed invasion.
SH-90	<b>Bangalay Sand Forest - EEC</b>	Bangalay dominated woodland to the immediate north, east and west of the sewage treatment plant. Limited understorey of Bracken, Tree Broom-heath, Coast Banksia, Rough-barked Apple and Blady Grass but predominately Lantana infested throughout.	<b>Poor condition</b> although still retains pockets of intact vegetation.	Senescence of trees.
SH-91	Modified	Very narrow strip of scattered Bangalay with severe infestation of Lantana and Blady Grass along creekline.	<b>Very poor condition.</b> Creek highly modified.	Poor water quality and weed infestation.
SH-92	<b>Swamp Sclerophyll Forest - EEC</b>	Swamp Mahogany dominated forest. Intact native understorey of Gahnia, Kangaroo Grass, Swamp Paperbark, Sydney Golden Wattle and Maiden's Wattle. Bordered by Bangalay Sand Forest to the east and Sydney Freshwater Wetlands to the west.	<b>Good condition.</b> An excellent example of an intact Swamp Sclerophyll Forest.	None apparent but impacts could arise from neighbouring land use.
SH-93a	<b>Sydney Freshwater Wetland - EEC</b>	Part of Coomoderry Swamp with sedge beds of Jointed Twig-rush, Eleocharis sphacelata, Lepidosperma laterale with Swamp Mahogany and Swamp Oak scattered along the margins and Paperbark clumps. Bordered by paddocks to the W and SSF to the east.	<b>Good condition.</b> Excellent - Few obvious impacts of neighbouring development.	None apparent but urbanisation may alter over time.

Land Number	Vegetation Community	Description	Broad Condition / Value	Threat
SH-93b	Modified	Agricultural usage	<b>Very poor condition.</b> Cleared and changes to drainage.	Further degradation which could affect adjacent areas.
SH-94a	<b>Bangalay Sand Forest - EEC</b>	Old-man Banksia and Blueberry Ash dominated forest with scattered Bangalay. Understorey dominated by Common Bracken, Lomandra, Dusky Coral Pea, Tree Broom-heath.	<b>Good condition</b> although weeds increase towards Gerroa Road	Weed invasion.
SH-94b	<b>Swamp Oak Forest - EEC</b>	Swamp Oak woodland along creekline. Dominated by Swamp Oak. Weedy and degraded towards road crossing on southern end.	<b>Fair condition.</b>	Changes to hydrology causing reduced water quality.
SH-96	Forest Red Gum Woodland	Forest Red Gum woodland with Lantana infested and grassy understorey on the steep slopes of Coolangatta Mountain. Also present were Wonga Wonga Vine, Devious Bent-grass, Common Maidenhair, Weeping Grass and Kidney Weed.	<b>Poor condition.</b> Weed infested with erosion occurring where bare earth is exposed.	Further weed invasion.