

SHOALHAVEN SPECIES LIST FOR ORIENT POINT

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|--|-----------------------|------------|-----------|-----------------|-----------------------|
| NATIVE / NATIVE CULTIVAR | | | | | |
| Tree | | | | | |
| <i>Acacia floribunda</i> | Gossamer Wattle | 3 - 8 | 2 - 3 | Local | G, OS |
| <i>Acacia binervata</i> | Two-Veined Hickory | to 15 | 2 - 4 | Local | S, G, OS |
| <i>Acmena smithii</i> | Lilly Pilly | 3 - 8 | 3 - 5 | Local | G |
| <i>Acmena smithii</i> 'Minor' | Dwarf Lilly Pilly | 3 | 1.5 | Native cultivar | G |
| <i>Agonis flexuosa</i> | Willow Myrtle | 10 | 6 | Native | S, G |
| <i>Allocasuarina littoralis</i> | Black Sheoak | 8 | 4 | Local | S, G OS |
| <i>Alphitonia excelsa</i> | Red Ash | up to 21 | | Local | S, OS, G (large) |
| <i>Angophora floribunda</i> | Rough-barked Apple | 20 | 5 | Local | S, G (large), OS |
| <i>Backhousia myrtifolia</i> | Grey Myrtle | 3 - 4 | 1.5 - 3 | Local | G |
| <i>Banksia serrata</i> | Old Man Banksia | 4 - 16 | 2 - 5 | Local | S, G, OS |
| <i>Banksia integrifolia</i> subsp. <i>integrifolia</i> | Coast Banksia | to 15 | 3 | Local | S, G, OS |
| <i>Callistemon</i> 'Harkness' | | 6 | | Native cultivar | G, S, OS |
| <i>Callistemon</i> 'Kings Park Special' (KPS) | Pine-Leaf Bottlebrush | 4 | 5 | Native cultivar | G, S, OS |
| <i>Callistemon salignus</i> | Willow Bottlebrush | 3 - 10 | | Local | G, S, OS |
| <i>Callistemon viminalis</i> var. | Weeping Bottlebrush | to 8 | | Native cultivar | G, S, OS |
| <i>Casuarina glauca</i> | Swamp Oak | 4 - 8 | 3 - 4 | Local | S, G, OS |
| <i>Ceratopetalum gummiferum</i> | Christmas Bush | to 5 | | Local | G |
| <i>Corymbia gummifera</i> | Red Bloodwood | 3 - 15 | 3 - 10 | Local | S, G (large), OS |
| <i>Corymbia maculata</i> | Spotted Gum | to 45 | | Local | S, G (large), OS |
| <i>Elaeocarpus reticulatus</i> | Blueberry Ash | to 6 | | Local | G |
| <i>Eucalyptus pilularis</i> | Blackbutt | 15 - 30 | 8 - 10 | Local | S, G (large), OS |
| <i>Eucalyptus robusta</i> | Swamp Mahogany | 10 - 20 | 4 - 8 | Local | S, G (large), OS |
| <i>Eucalyptus tereticornis</i> | Forest Red Gum | to 50 | | Local | S, G (large), OS |
| <i>Eucalyptus botryoides</i> | Bangalay | 10 - 20 | 6 - 8 | Local | S, G (large), OS |
| <i>Eucalyptus ficifolia</i> | Red Flowering Gum | 15 | 7 | Native cultivar | S, G (large), OS |
| <i>Eucalyptus sclerophylla</i> | Scribbly Gum | to 15 | | Local | S, G (large), OS |
| <i>Ficus coronata</i> | Sandpaper Fig | 3 - 4 | 2 - 4 | Local | G, S, OS |
| <i>Ficus rubiginosa</i> f. <i>rubiginosa</i> | Port Jackson Fig | 5 - 15 | 5 - 15 | Local | S, G (large), OS |
| <i>Ficus macrophylla</i> | Moreton Bay Fig | 30 - 40 | | Native | OS |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR ORIENT POINT

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|--|-------------------------|-----------------------|-----------|-----------------|-----------------------|
| <i>Glochidion ferdinandi</i> | Cheese Tree | to 15 | 4 - 8 | Local | G |
| <i>Hakea salicifolia</i> | Willow-leaved Hakea | | | Local | G |
| <i>Hibiscus tiliaceus</i> | Cotton Tree Hibiscus | 9 | 9 | Native | G, OS, S |
| <i>Hymenoporum flavum</i> | Native Frangipani | 9 (rarely to 20 high) | 2.4 | Native | G, OS, S |
| <i>Leptospermum laevigatum</i> | Coastal Tea Tree | 5 - 8 | 1 - 2 | Local | G, OS |
| <i>Livistona australis</i> | Cabbage Fan-palm | 10 - 20 | 2 - 3 | Local | G, OS |
| <i>Lophostemon confertus</i> | Brush Box | 15 | 10 | Native | S, G (large), OS |
| <i>Melaleuca decora</i> | | to 7 | | Local | G, OS |
| <i>Melaleuca linariifolia</i> | Flax-leaved Paperbark | to 10 | | Local | G, OS |
| <i>Melaleuca bracteata</i> | Golden Honeymyrtle | 9 | | Native | G |
| <i>Melaleuca ericifolia</i> | Swamp Paperbark | to 8 | | Local | G, OS |
| <i>Melaleuca quinquenervia</i> | Broad-Leaf Paperbark | 10 - 15 | 6 | Native | S, G (large), OS |
| <i>Melaleuca styphelioides</i> | Prickly-leaved Tea Tree | to 20 | | Local | G, OS |
| <i>Melaleuca thymifolia</i> | Thyme Honey-myrtle | to 1 (rarely 2) | | Local | G, OS |
| <i>Persoonia linearis</i> | Narrow-leaved Geebung | 3 - 5 | | Local | G, OS |
| <i>Syncarpia glomulifera</i> | Turpentine | 15 - 25 | 5 - 8 | Local | S, G (large), OS |
| <i>Syzygium australe</i> | Brush Cherry | 5 - 8 | | Local | G, OS |
| <i>Syzygium luehmannii</i> | Small-leaved Lillypilly | 6 | | Native | G |
| <i>Tristanopsis laurina</i> | Water Gum | up to 30 | | Local | S, G (large), OS |
| Shrub | | | | | |
| <i>Acacia longifolia</i> subsp. <i>longifolia</i> | Sydney Golden Wattle | 2 - 4 | 2 - 3 | Local | G, OS |
| <i>Acacia buxifolia</i> | Box-Leaf Wattle | 1 - 4 | | Native | G |
| <i>Austromyrtus</i> After Dark | | | | Native cultivar | G |
| <i>Austromyrtus</i> Pink Blush | | | | Native cultivar | G |
| <i>Banksia ericifolia</i> subsp. <i>ericifolia</i> | Heath-leaved Banksia | 2 - 3 | 2.5 | Local | G, OS |
| <i>Banksia marginata</i> | Silver Banksia | 2 | 2 | Local | G, OS |
| <i>Banksia spinuosa</i> | Hairpin Banksia | 1 - 3 | | Local | G, OS |
| <i>Callistemon</i> 'Captain Cook' | | 1.5 - 2 | 1.5 | Native cultivar | G, S, OS |
| <i>Grevillea</i> 'Honey Gem' | Honey Gem | 3.5 | 1.8 | Native cultivar | G, S, OS |
| <i>Grevillea</i> 'Moonlight' | | 3 | | Native cultivar | G, S, OS |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR ORIENT POINT

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|-------------------------|------------|-----------|-----------------|-----------------------|
| <i>Grevillea</i> 'Robyn Gordon' | Robyn Gordon Grevillea | 1.5 | 1.8 | Native cultivar | G, S, OS |
| <i>Grevillea rosmarinifolia</i> var. | Spider Flower | 1.8 | 1 | Native cultivar | G, OS |
| <i>Hakea dactyloides</i> | Finger Hakea | 1 - 3 | | Local | G |
| <i>Hibbertia aspera</i> | Rough Guinea Flower | 0.6 | | Local | G |
| <i>Hibbertia empetrifolia</i> | | 0.6 | | Local | G |
| <i>Indigofera australis</i> subsp. <i>australis</i> | Austral Indigo | 1.5 | 1 | Local | G, OS |
| <i>Kunzea ambigua</i> | Tick Bush | 2 - 4 | 2 | Local | G, OS |
| <i>Leptospermum scoparium</i> var. | | | | Native cultivar | G, OS |
| <i>Prostanthera linearis</i> | Narrow-leaved Mint-bush | 1-3 | | Local | G |
| <i>Syzygium</i> 'Aussie Compact' | | | | Native cultivar | G |
| <i>Syzygium</i> 'Bush Christmas' | | | | Native cultivar | G |
| <i>Scaevola calendulacea</i> | | 0.4 | | Local | G |
| <i>Syzygium</i> 'Cascade' | | | | Native cultivar | G |
| <i>Todea barbara</i> | King Fern | to 3 | | Local | G |
| Groundcover | | | | | |
| <i>Brachycome multifida</i> | Cut-Leaf Daisy | 0.45 | | Native | G |
| <i>Dichondra repens</i> | Kidney Weed | | | Local | G |
| <i>Grevillea</i> 'Bronze Rambler' | | | | Native cultivar | G |
| <i>Grevillea</i> 'Poorinda Royal Mantle' | | 0.3 | 0.7 | Native cultivar | G |
| <i>Grevillea lanigera</i> | Woolly Grevillea | 0.2-1.5 | | Local | G |
| <i>Myoporum parvifolium</i> | Creeping Boobialla | | to 3 | Native | G |
| <i>Persoonia chamaepitys</i> | Mountain Geebung | 0.2 | 1 | Native | G |
| <i>Pratia purpurascens</i> | Whiteroot | 0.3 | | Local | G |
| <i>Viola hederacea</i> | Ivy-leaved Violet | | | Local | G |
| Grasses & Other Strappy leaved plants | | | | | |
| <i>Anigozanthos</i> hybrids | Kangaroo Paw | | | Native cultivar | G |
| <i>Blechnum cartilagineum</i> | Gristle Fern | 0.4 | | Local | G |
| <i>Blechnum nudum</i> | Fishbone Water Fern | 0.25 - 0.6 | | Local | G |
| <i>Carex appressa</i> | Tall Sedge | 0.4 - 1.2 | | Local | G, OS |
| <i>Crinum pedunculatum</i> | Swamp Lily | 0.5 - 1.2 | | Local | G, OS |
| <i>Dianella caerulea</i> | Nodding Blue Lily | 0.75 | | Local | G, OS |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR ORIENT POINT

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|------------------------|-----------------------|-----------|-----------------|-----------------------|
| <i>Dianella longifolia</i> | Blueberry Lily | 0.8 | | Local | G, OS |
| <i>Dianella congesta</i> | | 1 | 0.2 | Local | G, OS |
| <i>Dianella revoluta</i> | Blueberry Lily | 1 | | Local | G, OS |
| <i>Doodia aspera</i> | Prickly Rasp Fern | | | Local | G |
| <i>Doryanthes excelsa</i> | GyMEA Lily | | | Native | G |
| <i>Gahnia clarkei</i> | Tall Saw-sedge | 0.8 - 2 | | Local | G, OS |
| <i>Imperata cylindrica</i> | Blady Grass | 1 | | Local | G |
| <i>Juncus kraussii</i> | Sea Rush | 0.4 - 1.5 | | Local | G, OS |
| <i>Juncus usitatus</i> | | 0.4 - 1.1 | | Local | G, OS |
| <i>Liriope mascari</i> | | 0.6 | 0.5 | Native cultivar | G, OS |
| <i>Lomandra longifolia</i> | Lomandra | 0.5 - 1 | | Local | G, OS |
| <i>Lomandra multiflora</i> subsp. <i>multiflora</i> | Many-flowered Mat-rush | | | Local | G, OS |
| <i>Lomandra confertifolia</i> spp. <i>pallida</i> 'Stanthorpe' | | 0.7 | 0.6 | Native cultivar | G, OS |
| <i>Lomandra confertifolia</i> spp. <i>rubiginosa</i> 'Seascape' | | 0.5 | 0.75 | Native cultivar | G, OS |
| <i>Lomandra</i> 'Tanika' | | 0.5 | 0.65 | Native cultivar | G, OS |
| <i>Macrozamia communis</i> | Burrawang | to 3 | | Local | G, OS |
| <i>Poa poiformis</i> | Coastal Poa | 1 | | Local | G, OS |
| <i>Poa sieberiana</i> | | 1 | | Local | G, OS |
| <i>Themeda australis</i> | Kangaroo Grass | 1.2 | | Local | G, OS |
| Climbers | | | | | |
| <i>Billardiera scandens</i> | Hairy Apple Berry | 0.5 | | Local | G |
| <i>Clematis aristata</i> | Old Man's Beard | Stems to 6 | | Local | G |
| <i>Hibbertia scandens</i> | Climbing Guinea Flower | Stems to 4 long | | Local | G |
| <i>Hardenbergia violacea</i> | Purple Coral Pea | Stems often to 2 long | | Local | G |
| <i>Kennedia rubicunda</i> | Dusky Coral Pea | Stems to 4 long | | Local | G |
| <i>Pandorea pandorana</i> | Wonga Wonga Vine | | | Local | G |
| <i>Pandorea jasminoides</i> 'Lady Di' | | 4.5 | | Native cultivar | G |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR ORIENT POINT

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|--|-----------------------------|------------|-----------|-----------------|-----------------------|
| EXOTIC | | | | | |
| Trees | | | | | |
| <i>Betula pendula</i> | Silver Birch | 15 | 5 | Exotic | S, R, OS, G |
| <i>Catalpa bignonioides</i> | Catalpa | 3 - 5 | 2 - 5 | Exotic | G, S, OS |
| <i>Cordyline australis</i> 'Albertii' | New Zealand Cabbage Tree | 4 | 2.5 | Exotic | G, OS |
| <i>Cupressus macrocarpa</i> | Golden Cypress | 36 | 15 | Exotic | G, R |
| <i>Cupressus sempervirens</i> 'Stricta' | Swane's Golden Pencil Pine | 12 | 3 | Exotic | R, G |
| <i>Cupressus torulosa</i> | Nepal Cypress | to 30 | to 6 - 10 | Exotic | R, G |
| <i>Franklinia axillaris</i> (aka <i>Gordonia axillaris</i>) | Gordonia | 3 - 5 | 3 - 5 | Exotic | G, S |
| <i>Lagerstroemia</i> sp. (grafted cultivars) | Crepe Myrtle | | | Exotic | R, G, S |
| <i>Magnolia</i> 'Little Gem' | Dwarf Magnolia | 5 | 2.5 | Exotic | G, S |
| <i>Metrosideros excelsa</i> | New Zealand Xmas Tree | 12 | | Exotic | S, G, OS |
| <i>Pittosporum tenuifolium</i> | Silver Sheen | 3.5 | 1.5 | Exotic | G |
| <i>Ulmus glabra</i> | Golden Elm | 30 | 8 - 10 | Exotic | OS |
| <i>Ulmus parvifolia</i> | Chinese Elm | 10 | 1 | Exotic | OS, G, S |
| Shrubs | | | | | |
| <i>Abelia grandiflora</i> | Abelia | 2 | | Exotic | G |
| <i>Brunfelsia latifolia</i> | Yesterday, T'day & Tomorrow | 2 - 4 | 2 | Exotic | G |
| <i>Cistus purpureus</i> | Rock Rose | 1 | | Exotic | G |
| <i>Coleonema compactum</i> | Pink Diosma | 0.8 | | Exotic | G |
| <i>Convolvulus cneorum</i> | Silverbush | 0.6 | 0.75 | Exotic | G |
| <i>Cordyline australis</i> 'Cabernet' | | 2 | 1.5 | Exotic | G, OS |
| <i>Cordyline australis</i> spp. | | | | Exotic | G, OS |
| <i>Gardenia angusta</i> 'Golden Magic' | | 1 | 0.8 | Exotic | G |
| <i>Gardenia angusta</i> 'Magnifica' | | 1 | 0.5 | Exotic | G |
| <i>Hebe buxifolia</i> | | 0.4 | 0.4 | Exotic | G, OS |
| <i>Hebe</i> hybrid 'Inspiration' | New Zealand Lilac | 0.8 | 0.4 | Exotic | G, OS |
| <i>Hebe wiri</i> var. | New Zealand Lilac | 0.8 | 0.4 | Exotic | G, OS |
| <i>Lavandula dentata</i> | French Lavender | 1.2 | 1.5 | Exotic | G |
| <i>Lavandula stoechas</i> | Italian Lavender | 0.6 | 1 | Exotic | G |
| <i>Murraya exotica</i> | Scented Murraya | | | Exotic | G, OS |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR ORIENT POINT

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|-------------------------|------------|-----------|-----------------|-----------------------|
| <i>Photinia glabra</i> 'Rubens' | Red Photinia | | | Exotic | G |
| <i>Photinia</i> 'Red Robin' | Photinia | | | Exotic | G |
| <i>Santolina chamaecyparissus</i> | Cotton Lavender | 1 | 1 | Exotic | G |
| <i>Strelitzia reginae</i> | Bird of Paradise | | | Exotic | G |
| Groundcovers | | | | | |
| <i>Convolvulus mauritanicus</i> | Morocco Glory Bind | 0.3 | 0.9 | Exotic | G |
| Grasses & Other Strappy leaved plants | | | | | |
| <i>Ophiopogon japonicus</i> 'Nana' | Dwarf Green Mondo Grass | 0.12 | 0.3 | Exotic | G |
| <i>Ophiopogon japonicus</i> | Tall Green Mondo Grass | 0.25 | 0.3 | Exotic | G |
| <i>Phormium tenax</i> spp. | New Zealand Flax | 1.5 | 1 | Exotic | G |
| Climber / Groundcover | | | | | |
| <i>Trachelospermum jasminoides</i> | Star Jasmine | | | Exotic | G |
| <p>Species included in this table have been selected to compliment the culture and aesthetics of the town. Important habitat requirements such as soil type, the natural distribution and habitat requirement of each species, tolerance to wind, salt spray and water logging (some species) and availability in nurseries have also been considered.</p> | | | | | |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia