

SHOALHAVEN SPECIES LIST FOR HUSKISSON

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|-----------------------|-----------------------|-----------|-----------------|-----------------------|
| NATIVE / NATIVE CULTIVAR | | | | | |
| Tree | | | | | |
| <i>Acacia floribunda</i> | Gossamer Wattle | 3 - 8 | 2 - 3 | Local | G, OS |
| <i>Acacia binervata</i> | Two-Veined Hickory | to 15 | 2 - 4 | Local | S, G, OS |
| <i>Acacia implexa</i> | Hickory Wattle | 5 - 12 | 2 - 4 | Local | S, G, OS |
| <i>Acmena smithii</i> | Lilly Pilly | 3 - 8 | 3 - 5 | Local | G |
| <i>Allocasuarina littoralis</i> | Black Sheoak | 8 | 4 | Local | S, G OS |
| <i>Alphitonia excelsa</i> | Red Ash | up to 21 | | Local | S, OS, G (large) |
| <i>Angophora floribunda</i> | Rough-barked Apple | 20 | 5 | Local | S, G (large), OS |
| <i>Araucaria heterophylla</i> | Norfolk Island Pine | 30 - 40 | 15 | Native | S, OS |
| <i>Banksia integrifolia</i> subsp. <i>integrifolia</i> | Coast Banksia | to 15 | 3 | Local | S, G, OS |
| <i>Banksia serrata</i> | Old Man Banksia | 4 - 16 | 2 - 5 | Local | S, G, OS |
| <i>Callistemon 'Harkness'</i> | | 6 | 5 | Native cultivar | G, S, OS |
| <i>Callistemon 'Kings Park Special' (KPS)</i> | Pine-Leaf Bottlebrush | 4 | 5 | Native cultivar | G, S, OS |
| <i>Callistemon salignus</i> | Willow Bottlebrush | 3 - 10 | 4 | Local | G, S, OS |
| <i>Callistemon viminalis</i> var. | Weeping Bottlebrush | to 8 | | Native cultivar | G, S, OS |
| <i>Casuarina glauca</i> | Swamp Oak | 4 - 8 | 3 - 4 | Local | S, G, OS |
| <i>Corymbia gummifera</i> | Red Bloodwood | 3 - 15 | 3 - 10 | Local | S, G (large), OS |
| <i>Cupaniopsis anacardioides</i> | Tuckeroo | 10 | 4 | Local | S, G |
| <i>Eucalyptus pilularis</i> | Blackbutt | 15 - 30 | 8 - 10 | Local | S, G (large), OS |
| <i>Eucalyptus robusta</i> | Swamp Mahogany | 10 - 20 | 4 - 8 | Local | S, G (large), OS |
| <i>Eucalyptus botryoides</i> | Bangalay | 10 - 20 | 6 - 8 | Local | S, G (large), OS |
| <i>Eucalyptus ficifolia</i> | Red Flowering Gum | 15 | 7 | Native cultivar | S, OS, G (large) |
| <i>Eucalyptus piperita</i> | Sydney Peppermint | 15 - 25 | 8 - 12 | Local | S, G (large), OS |
| <i>Eucalyptus sclerophylla</i> | Scribbly Gum | to 15 | | Local | S, G (large), OS |
| <i>Glochidion ferdinandi</i> | Cheese Tree | to 15 | 4 - 8 | Local | G |
| <i>Hakea salicifolia</i> | Willow-leaved Hakea | | | Local | G |
| <i>Hibiscus tiliaceus</i> | Cotton Tree Hibiscus | 9 | 9 | Native | G, OS, S |
| <i>Hymenosporum flavum</i> | Native Frangipani | 9 (rarely to 20 high) | 2.4 | Native | G, OS, S |
| <i>Leptospermum laevigatum</i> | Coastal Tea Tree | 5 - 8 | 1 - 2 | Local | G, OS |
| <i>Livistona australis</i> | Cabbage Fan-palm | 10 - 20 | 2 - 3 | Local | G, OS |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR HUSKISSON

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|--|-------------------------|------------|-----------|-----------------|-----------------------|
| <i>Lophostemon confertus</i> | Brush Box | 15 | 10 | Native | S, G (large), OS |
| <i>Melaleuca bracteata</i> | Golden Honeymyrtle | 9 | | Native | G |
| <i>Melaleuca hypericifolia</i> | Hillock Bush | to 6 | | Local | G |
| <i>Melaleuca quinquenervia</i> | Broad-Leaf Paperbark | 10 - 15 | 6 | Native | S, G (large), OS |
| <i>Myoporum acuminatum</i> | Northern Boobialla | 13 | | Local | S, G (large), OS |
| <i>Myoporum insulare</i> | Boobialla | 6 | | Local | G |
| <i>Persoonia linearis</i> | Narrow-leaved Geebung | 3 - 5 | | Local | G, OS |
| <i>Polyscias sambucifolia</i> | Elderberry Panax | to 5 | | Local | G |
| <i>Polyscias elegans</i> | Celery Wood | to 30 | | Local | S, G (large), OS |
| <i>Syncarpia glomulifera</i> | Turpentine | 15 - 25 | 5 - 8 | Local | S, G (large), OS |
| <i>Synoum glandulosum</i> | Scentless Rosewood | to 7 | | Local | G |
| <i>Syzygium australe</i> | Brush Cherry | 5 - 8 | | Local | G, OS |
| <i>Syzygium luehmannii</i> | Small-leaved Lillypilly | 6 | | Native | G |
| Shrubs | | | | | |
| <i>Acacia longifolia</i> subsp. <i>longifolia</i> | Sydney Golden Wattle | 2 - 4 | 2 - 3 | Local | G, OS |
| <i>Acacia buxifolia</i> | Box-Leaf Wattle | 1 - 4 | | Native | G |
| <i>Acacia myrtifolia</i> | Red-stemmed Wattle | 0.3 - 3 | | Local | G |
| <i>Acacia suaveolens</i> | Sweet Wattle | 0.3 - 2.5 | | Local | G |
| <i>Acacia terminalis</i> | Sunshine Wattle | 1.5 - 2 | 1 - 2 | Local | G |
| <i>Actinotus helianthi</i> | Flannel Flower | 0.3 - 0.9 | | Local | G |
| <i>Actinotus minor</i> | Lesser Flannel Flower | 0.15 - 0.5 | | Local | G |
| <i>Austromyrtus</i> 'After Dark' | | | | Native cultivar | G |
| <i>Austromyrtus</i> 'Pink Blush' | | | | Native cultivar | G |
| <i>Banksia ericifolia</i> subsp. <i>ericifolia</i> | Heath-leaved Banksia | 2 - 3 | 2.5 | Local | G, OS |
| <i>Boronia ledifolia</i> | Showy Boronia | 0.6 | 0.5 | Local | G |
| <i>Brachycome multifida</i> | Cut-Leaf Daisy | 0.45 | | Native | G |
| <i>Callistemon citrinus</i> | Crimson Bottlebrush | 2 - 3 | 1 - 2 | Local | S, G, OS |
| <i>Callistemon rigidus</i> | Stiff Bottlebrush | 2 - 3 | | Local | S, G, OS |
| Callistemon 'Captain Cook' | | 1.5 - 2 | 1.5 | Native cultivar | G, S, OS |
| <i>Correa alba</i> | White Correa | 1 - 2 | 2 - 3 | Local | G |
| <i>Correa reflexa</i> | Common Correa | 1 | 1 | Local | G |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR HUSKISSON

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|------------------------|------------|-----------|-----------------|-----------------------|
| <i>Eleocarpus reticulatus</i> | Blueberry Ash | | | Local | G |
| <i>Eriostemon australasius</i> | | 1 | 1 | Local | G |
| <i>Grevillea</i> 'Honey Gem' | Honey Gem | 3.5 | 1.8 | Native cultivar | G, S, OS |
| <i>Grevillea</i> 'Moonlight' | | 3 | | Native cultivar | G, S, OS |
| <i>Grevillea lanigera</i> | Woolly Grevillea | 0.2 - 1.5 | | Local | G |
| <i>Grevillea</i> 'Robyn Gordon' | Robyn Gordon Grevillea | 1.5 | 1.8 | Native cultivar | G, S, OS |
| <i>Grevillea rosmarinifolia</i> var. | Spider Flower | 1.8 | 1 | Native cultivar | G, OS |
| <i>Hakea dactyloides</i> | Finger Hakea | 1 - 3 | | Local | G |
| <i>Hibbertia aspera</i> | Rough Guinea Flower | 0.6 | | Local | G |
| <i>Hibbertia empetrifolia</i> | | 0.6 | | Local | G |
| <i>Indigofera australis</i> subsp. <i>australis</i> | Austral Indigo | 1.5 | 1 | Local | G, OS |
| <i>Kunzea ambigua</i> | Tick Bush | 2 - 4 | 2 | Local | G, OS |
| <i>Lambertia formosa</i> | Mountain Devil | to 2 | | Local | G, OS |
| <i>Leptospermum polygalifolium</i> | Yellow Tea Tree | 2 | 1.5 | Local | G, OS |
| <i>Leptospermum scoparium</i> var. | | | | Native cultivar | G, OS |
| <i>Pultenaea retusa</i> | | | | Local | G |
| <i>Scaevola calendulacea</i> | | 0.4 | | Local | G |
| <i>Syzygium</i> 'Bush Christmasi | | | | Native cultivar | G |
| <i>Syzygium</i> 'Cascade' | | | | Native cultivar | G |
| <i>Syzygium Aussie</i> 'Compact' | | | | Native cultivar | G |
| <i>Telopea speciosissima</i> | Waratah | 3 | | Local | G, OS |
| <i>Westringia fruticosa</i> | Coastal Rosemary | 1 - 2 | 1.5 | Local | G |
| Groundcover | | | | | |
| <i>Dichondra repens</i> | Kidney Weed | | | Local | G |
| <i>Grevillea</i> 'Bronze Rambler' | | | | Local cultivar | G |
| <i>Grevillea</i> 'Poorinda Royal Mantle' | | 0.3 | 0.7 | Native cultivar | G |
| <i>Myoporum parvifolium</i> | Creeping Boobiialla | to 0.3 | | Native | G |
| <i>Persoonia chamaepitys</i> | Mountain Geebung | 0.2 | 1 | Native | G |
| <i>Pratia purpurascens</i> | Whiteroot | 0.3 | | Local | G |
| <i>Viola hederacea</i> | Ivy-leaved Violet | | | Local | G |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR HUSKISSON

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|---------------------|-----------------------|-----------|-----------------|-----------------------|
| Grasses & Other Strappy leaved plants | | | | | |
| <i>Anigozanthos hybrids</i> | Kangaroo Paw | | | Native cultivar | G |
| <i>Blechnum rtilagineum</i> | Gristle Fern | 0.4 | | Local | G |
| <i>Blechnum nudum</i> | Fishbone Water Fern | 0.25 - 0.6 | | Local | G |
| <i>Carex appressa</i> | Tall Sedge | 0.4 - 1.2 | | Local | G, OS |
| <i>Crinum pedunculatum</i> | Swamp Lily | 0.5 - 1.2 | | Local | G, OS |
| <i>Dianella longifolia</i> | Blueberry Lily | 0.8 | | Local | G, OS |
| <i>Dianella caerulea</i> | Nodding Blue Lily | 0.75 | | Local | G, OS |
| <i>Dianella congesta</i> | | 1 | 0.2 | Local | G, OS |
| <i>Dianella revoluta</i> | Blueberry Lily | 1 | | Local | G, OS |
| <i>Doodia aspera</i> | Prickly Rasp Fern | | | Local | G |
| <i>Doryanthes excelsa</i> | Gynea Lily | | | Native | G |
| <i>Ficinia nodosa</i> | Knobby Club-rush | 0.15 - 1 | | Local | G, OS |
| <i>Gahnia clarkei</i> | Tall Saw-sedge | 0.8 - 2 | | Local | G, OS |
| <i>Juncus kraussii</i> | Sea Rush | 0.4 - 1.5 | | Local | G, OS |
| <i>Juncus usitatus</i> | | 0.4 - 1.1 | | Local | G, OS |
| <i>Liriope mascari</i> | | 0.6 | 0.5 | Native cultivar | G, OS |
| <i>Lomandra longifolia</i> | Lomandra | 0.5 - 1 | | Local | G, OS |
| <i>Lomandra confertifolia</i> spp. <i>pallida</i> 'Stanthorpe' | | 0.7 | 0.6 | Native cultivar | G, OS |
| <i>Lomandra confertifolia</i> spp. <i>rubiginosa</i> 'Seascape' | | 0.5 | 0.75 | Native cultivar | G, OS |
| <i>Lomandra</i> 'Tanika' | | 0.5 | 0.65 | Native cultivar | G, OS |
| <i>Macrozamia communis</i> | Burrawang | to 3 | | Local | G, OS |
| <i>Poa poiformis</i> | Coastal Poa | 1 | | Local | G, OS |
| <i>Poa sieberiana</i> | | 1 | | Local | G, OS |
| <i>Themeda australis</i> | Kangaroo Grass | 1.2 | | Local | G, OS |
| Climbers | | | | | |
| <i>Billardiera scandens</i> | Hairy Apple Berry | 0.5 | | Local | G |
| <i>Cissus hypoglauca</i> | Water Vine | | | Local | OS |
| <i>Clematis aristata</i> | Old Man's Beard | Stems to 6 | | Local | G |
| <i>Hardenbergia violacea</i> | Purple Coral Pea | Stems often to 2 long | | Local | G |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR HUSKISSON

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|--|-----------------------------|-----------------|-----------|-----------------|-----------------------|
| <i>Hibbertia scandens</i> | Climbing Guinea Flower | Stems to 4 long | | Local | G |
| <i>Kennedia rubicunda</i> | Dusky Coral Pea | Stems to 4 long | | Local | G |
| <i>Pandorea jasminoides</i> 'Lady Di' | | 4.5 | | Native cultivar | G |
| <i>Pandorea pandorana</i> | Wonga Wonga Vine | | | Local | G |
| EXOTICS | | | | | |
| Trees | | | | | |
| <i>Catalpa bignonioides</i> | Catalpa | 3 - 5 | 2 - 5 | Exotic | G, S, OS |
| <i>Cordyline australis</i> 'Albertii' | New Zealand Cabbage Tree | 4 | 2.5 | Exotic | G, OS |
| <i>Cupressus macrocarpa</i> | Golden Cypress | 36 | 15 | Exotic | G (large) , OS |
| <i>Cupressus sempervirens</i> 'Stricta' | Swane's Golden Pencil Pine | 12 | 3 | Exotic | R, G |
| <i>Cupressus torulosa</i> | Nepal Cypress | to 30 | to 6 - 10 | Exotic | G (large) , OS |
| <i>Franklinia axillaris</i> (aka <i>Gordonia axillaris</i>) | Gordonia | 3 - 5 | 3- 5 | Exotic | G, S |
| <i>Fraxinus excelsior</i> 'Aurea' | Golden Ash | 15 -20 | | Exotic | S, G (large) , OS |
| <i>Lagerstroemia sp.</i> (grafted cultivars) | Crepe Myrtle | | | Exotic | R, G, S |
| <i>Magnolia</i> 'Little Gem' | Dwarf Magnolia | 5 | 2.5 | Exotic | G, S |
| <i>Metrosideros excelsa</i> | New Zealand Xmas Tree | 12 | | Exotic | S, G, OS |
| <i>Pittosporum tenuifolium</i> | Silver Sheen | 3.5 | 1.5 | Exotic | G |
| Shrubs | | | | | |
| <i>Abelia grandiflora</i> | Abelia | 2 | | Exotic | G |
| <i>Brunfelsia latifolia</i> | Yesterday, T'day & Tomorrow | 2 - 4 | 2 | Exotic | G |
| <i>Cistus purpureus</i> | Rock Rose | 1 | 1 | Exotic | G |
| <i>Coleonema compactum</i> | Pink Diosma | 0.8 | | Exotic | G |
| <i>Convolvulus cneorum</i> | Silverbush | 0.6 | 0.75 | Exotic | G |
| <i>Cordyline australis</i> 'Cabernet' | | 2 | 1.5 | Exotic | G, OS |
| <i>Cordyline australis</i> spp. | | | | Exotic | G, OS |
| <i>Gardenia angusta</i> 'Golden Magic' | | 1 | 0.8 | Exotic | G |
| <i>Gardenia angusta</i> 'Magnifica' | | 1 | 0.5 | Exotic | G |
| <i>Hebe buxifolia</i> | | 0.4 | 0.4 | Exotic | G, OS |
| <i>Hebe hybrid</i> 'Inspiration' | New Zealand Lilac | 0.8 | 0.4 | Exotic | G, OS |
| <i>Hebe wiri</i> var. | New Zealand Lilac | 0.8 | 0.4 | Exotic | G, OS |
| <i>Hibiscus syriacus</i> 'Diana' | | 3 | 2 | Exotic | G |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia

SHOALHAVEN SPECIES LIST FOR HUSKISSON

| Scientific Name | Common Name | Height (m) | Width (m) | Native / Exotic | Landscape Suitability |
|---|-------------------------|------------|-----------|-----------------|-----------------------|
| <i>Lavandula dentata</i> | French Lavender | 1.2 | 1.5 | Exotic | G |
| <i>Lavandula stoechas</i> | Italian Lavender | 0.6 | 1 | Exotic | G |
| <i>Murraya exotica</i> | Scented Murraya | | | Exotic | G, OS |
| <i>Photinia glabra</i> 'Rubens' | Red Photinia | | | Exotic | G |
| <i>Photinia</i> 'Red Robin' | Photinia | | | Exotic | G |
| <i>Santolina chamaecyparissus</i> | Cotton Lavender | 1 | 1 | Exotic | G |
| <i>Strelitzia reginae</i> | Bird of Paradise | | | Exotic | G |
| Groundcover | | | | | |
| <i>Convolvulus mauritanicus</i> | Morocco Glory Bind | 0.3 | 0.9 | Exotic | G |
| Grasses & Other Strappy leaved plants | | | | | |
| <i>Ophiopogon japonicus</i> | Tall Green Mondo Grass | 0.25 | 0.3 | Exotic | G |
| <i>Ophiopogon japonicus</i> 'Nana' | Dwarf Green Mondo Grass | 0.12 | 0.3 | Exotic | G |
| <i>Phormium tenax</i> spp. | New Zealand Flax | 1.5 | 1 | Exotic | G |
| Climber / Groundcover | | | | | |
| <i>Trachelospermum jasminoides</i> | Star Jasmine | | | Exotic | G |
| <p>Species included in this table have been selected to compliment the culture and aesthetics of the town. Important habitat requirements such as soil type, the natural distribution and habitat requirement of each species, tolerance to wind, salt spray and water logging (some species) and availability in nurseries have also been considered.</p> | | | | | |

Note:

G = Garden, OS = Open Space, S = Street, R = Rural

Local = NSW South Coast Bioregion (SE NSW from Berry to NSW southern border)

Native = Native to Australia