


Ulladulla Wastewater Treatment Plant - Monitoring Summary
 Licensee: Shoalhaven City Council, Shoalhaven Water, PO Box 42, Nowra 2541
 Environment Protection Licence No. 446 EPA ID No. 5




BOD

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	100 percentile limit	Council Sample
Monthly	05-Jun-13	20-Jun-13	milligrams per litre	50	3
Monthly	03-Jul-13	12-Jul-13	milligrams per litre	50	<2
Monthly	07-Aug-13	14-Aug-13	milligrams per litre	50	<2
Monthly	04-Sep-13	13-Sep-13	milligrams per litre	50	3
Monthly	02-Oct-13	11-Oct-13	milligrams per litre	50	<2
Monthly	06-Nov-13	14-Nov-13	milligrams per litre	50	<2
Monthly	04-Dec-13	18-Dec-13	milligrams per litre	50	3
Monthly	15-Jan-14	28-Jan-14	milligrams per litre	50	<2
Monthly	05-Feb-14	19-Feb-14	milligrams per litre	50	3
Monthly	05-Mar-14	17-Mar-14	milligrams per litre	50	<2
Monthly	09-Apr-14	23-Apr-14	milligrams per litre	50	<2
Monthly	07-May-14	19-May-14	milligrams per litre	50	<2




NITROGEN (Total)

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	100 percentile limit	Council Sample
Monthly	05-Jun-13	20-Jun-13	milligrams per litre	MONITORING	1.6
Monthly	03-Jul-13	12-Jul-13	milligrams per litre		1.9
Monthly	07-Aug-13	14-Aug-13	milligrams per litre		3.8
Monthly	04-Sep-13	13-Sep-13	milligrams per litre		1.5
Monthly	02-Oct-13	11-Oct-13	milligrams per litre		4.3
Monthly	06-Nov-13	14-Nov-13	milligrams per litre		3.9
Monthly	04-Dec-13	18-Dec-13	milligrams per litre	CONDITION	6.4
Monthly	15-Jan-14	28-Jan-14	milligrams per litre		2.8
Monthly	05-Feb-14	19-Feb-14	milligrams per litre		2.8
Monthly	05-Mar-14	17-Mar-14	milligrams per litre		3.0
Monthly	09-Apr-14	23-Apr-14	milligrams per litre		2.1
Monthly	07-May-14	19-May-14	milligrams per litre		4.6




PHOSPHORUS (Total)

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	100 percentile limit	Council Sample
Monthly	05-Jun-13	20-Jun-13	milligrams per litre	MONITORING	4.9
Monthly	03-Jul-13	12-Jul-13	milligrams per litre		3.3
Monthly	07-Aug-13	14-Aug-13	milligrams per litre		8.1
Monthly	04-Sep-13	13-Sep-13	milligrams per litre		6.0
Monthly	02-Oct-13	11-Oct-13	milligrams per litre		5.5
Monthly	06-Nov-13	14-Nov-13	milligrams per litre		6.7
Monthly	04-Dec-13	18-Dec-13	milligrams per litre	CONDITION	7.5
Monthly	15-Jan-14	28-Jan-14	milligrams per litre		5.5
Monthly	05-Feb-14	19-Feb-14	milligrams per litre		8.3
Monthly	05-Mar-14	17-Mar-14	milligrams per litre		8.5
Monthly	09-Apr-14	23-Apr-14	milligrams per litre		4.6
Monthly	07-May-14	19-May-14	milligrams per litre		7.9




TOTAL SUSPENDED SOLIDS

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	100 percentile limit	Council Sample
Monthly	05-Jun-13	20-Jun-13	milligrams per litre	50	2
Monthly	03-Jul-13	12-Jul-13	milligrams per litre	50	2
Monthly	07-Aug-13	14-Aug-13	milligrams per litre	50	4
Monthly	04-Sep-13	13-Sep-13	milligrams per litre	50	3
Monthly	02-Oct-13	11-Oct-13	milligrams per litre	50	3
Monthly	06-Nov-13	14-Nov-13	milligrams per litre	50	4
Monthly	04-Dec-13	18-Dec-13	milligrams per litre	50	5
Monthly	15-Jan-14	28-Jan-14	milligrams per litre	50	4
Monthly	05-Feb-14	19-Feb-14	milligrams per litre	50	4
Monthly	05-Mar-14	17-Mar-14	milligrams per litre	50	6
Monthly	09-Apr-14	23-Apr-14	milligrams per litre	50	12
Monthly	07-May-14	19-May-14	milligrams per litre	50	4




OIL AND GREASE

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	100 percentile limit	Council Sample
Monthly	05-Jun-13	07-Jun-13	milligrams per litre	10	<1
Monthly	03-Jul-13	12-Jul-13	milligrams per litre	10	<1
Monthly	07-Aug-13	14-Aug-13	milligrams per litre	10	<1
Monthly	04-Sep-13	13-Sep-13	milligrams per litre	10	<1
Monthly	02-Oct-13	11-Oct-13	milligrams per litre	10	<1
Monthly	06-Nov-13	14-Nov-13	milligrams per litre	10	<1
Monthly	04-Dec-13	18-Dec-13	milligrams per litre	10	<1
Monthly	15-Jan-14	28-Jan-14	milligrams per litre	10	<1
Monthly	05-Feb-14	19-Feb-14	milligrams per litre	10	<1
Monthly	05-Mar-14	17-Mar-14	milligrams per litre	10	<1
Monthly	09-Apr-14	23-Apr-14	milligrams per litre	10	<1
Monthly	07-May-14	19-May-14	milligrams per litre	10	<1



FAECAL COLIFORMS

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	90 percentile limit	Council Sample
Special Frequency 1	05-Jun-13	20-Jun-13	colony forming units per 100 millilitres	200	400
Special Frequency 1	03-Jul-13	12-Jul-13	colony forming units per 100 millilitres	200	<1
Special Frequency 1	07-Aug-13	14-Aug-13	colony forming units per 100 millilitres	200	3
Special Frequency 1	04-Sep-13	13-Sep-13	colony forming units per 100 millilitres	200	<1
Special Frequency 1	02-Oct-13	11-Oct-13	colony forming units per 100 millilitres	200	<1
Special Frequency 1	06-Nov-13	14-Nov-13	colony forming units per 100 millilitres	200	22
Special Frequency 1	04-Dec-13	18-Dec-13	colony forming units per 100 millilitres	200	<1
Special Frequency 1	15-Jan-14	28-Jan-14	colony forming units per 100 millilitres	200	<1
Special Frequency 1	05-Feb-14	19-Feb-14	colony forming units per 100 millilitres	200	<1
Special Frequency 1	05-Mar-14	17-Mar-14	colony forming units per 100 millilitres	200	<1
Special Frequency 1	09-Apr-14	23-Apr-14	colony forming units per 100 millilitres	200	27
Special Frequency 1	07-May-14	19-May-14	colony forming units per 100 millilitres	200	11



ENTEROCOCCI

Frequency	Date Sample Obtained	Date Result Obtained	Unit Of Measurement	100 percentile limit	Council Sample
Special Frequency 1	05-Jun-13	20-Jun-13	colony forming units per 100 millilitres	MONITORING	240
Special Frequency 1	03-Jul-13	12-Jul-13	colony forming units per 100 millilitres		<1
Special Frequency 1	07-Aug-13	14-Aug-13	colony forming units per 100 millilitres		5
Special Frequency 1	04-Sep-13	13-Sep-13	colony forming units per 100 millilitres		3
Special Frequency 1	02-Oct-13	11-Oct-13	colony forming units per 100 millilitres		<1
Special Frequency 1	06-Nov-13	14-Nov-13	colony forming units per 100 millilitres		12
Special Frequency 1	04-Dec-13	18-Dec-13	colony forming units per 100 millilitres	CONDITION	<1
Special Frequency 1	15-Jan-14	28-Jan-14	colony forming units per 100 millilitres		1
Special Frequency 1	05-Feb-14	19-Feb-14	colony forming units per 100 millilitres		<1
Special Frequency 1	05-Mar-14	17-Mar-14	colony forming units per 100 millilitres		<1
Special Frequency 1	09-Apr-14	23-Apr-14	colony forming units per 100 millilitres		2
Special Frequency 1	07-May-14	19-May-14	colony forming units per 100 millilitres		3

