


SOIL AND WATER MANAGEMENT PLAN

SCALE 1 : 100


- NOTE:
1. ENTRY TO THE PRIVATE PROPERTIES IS PROHIBITED UNDER ANY CIRCUMSTANCES.
 2. CONSTRUCTOR TO ENSURE THE STABILISATION OF THE EXISTING BRIDGE AND ROAD DURING DEMOLITION AND CONSTRUCTION.
 3. CONSTRUCTOR TO PROVIDE EROSION AND SEDIMENT CONTROL MEASURES DURING DEMOLITION AND CONSTRUCTION.
 4. CONTRACTOR IS RESPONSIBLE FOR:
 - DEMOLITION AND DISPOSAL OF EXISTING TIMBER BRIDGE DECK, CENTRAL STEEL PIERS AND FOOTING.
 - REMOVE ABUTMENT TIMBER AND NEATLY CUT & REMOVE ABUTMENT STEEL PIERS.
 - RETAIN EXISTING CONCRETE ABUTMENTS TO PROVIDE SUPPORT TO CREEK BANKS.

APPROXIMATE LOCATION OF PROPOSED SEDIMENT FENCE (LOCATION TO BE DETERMINED ON SITE)



SEDIMENT FENCE


- GENERAL CONSTRUCTION NOTES**
1. CONSTRUCT SEDIMENT FENCE AS CLOSE AS POSSIBLE TO PARALLEL TO THE CONTOURS OF THE SITE.
 2. DRIVE 1.5m LONG STAR PICKETS IN GROUND 3m APART.
 3. DIG A 200mm DEEP TRENCH ALONG THE UPSLOPE LINE OF THE FENCE FOR THE FABRIC TO BE ENTRENCHED.
 4. BACKFILL TRENCH OVER BASE OF FABRIC.
 5. FIX SELF-SUPPORTING GEOTEXTILE TO UPSLOPE SIDE OF POSTS WITH WIRE TIES OR AS RECOMMENDED BY GEOTEXTILE MANUFACTURER.
 6. JOIN SECTIONS OF FABRIC AT A SUPPORT WITH A 150mm OVERLAP.



- GENERAL CONSTRUCTION NOTES:**
1. CONSTRUCT SEDIMENT FENCE AS CLOSE AS POSSIBLE TO PARALLEL TO THE CONTOURS OF THE SITE.
 2. FIX SELF-SUPPORTING GEOTEXTILE TO UPSLOPE SIDE OF POSTS WITH WIRE TIES OR AS RECOMMENDED BY GEOTEXTILE MANUFACTURER.
 3. JOIN SECTIONS OF FABRIC AT A SUPPORT WITH A 150mm OVERLAP.
 4. REFER TO DETAIL SD 6-9 "BLUE BOOK"

SEDIMENT FENCE - ALTERNATIVE

SCALE 1 : 20



SILT FENCE DETAIL

SEDIMENT SILT FENCE DETAIL

SCALE 1 : 20

A	14.06.22	LTR	ISSUED FOR TENDER
No	DATE	BY	DESCRIPTION